

Test Pit #1

Date: December 5, 2013 Mapped Soil Series: Colton

Distance to nearest jurisdictional wetland > 100' Distance to nearest existing or proposed well > 100' (Municipal

Distance to nearest water body > 100' (West Branch Ausable

Depth to Seasonal High Groundwater Table = 36"

Depth of test pit = 72"

Depth to bedrock > 72"

Acceptable System Type: Conventional Shallow Absorption

Horizon	Depth (inches)	USDA Texture	Munsell Color	Redoxymorphic Features
A	0-3	Fine sandy loam	10yr 2/2, very dark brown	No
E	3-7	Fine sand	10yr 5/1, gray	No
Bsh	7-18	Fine sandy lo <b>a</b> m	2.5yr 4/8, red	No
BC	18-36	Cobbly sand	10yr 6/8, brownish yellow	No
C	36-48+	Cobbly sand	10yr 5/2, grayish brown	Yes @ 36" (10yr 6/2, light brownish gray depletions; 2.5y: 4/8, red

Notes: Test Pit #1 was located approximately 100' southeast of the mean high watermark of the West Branch of the Ausable River, in the approximate location shown on the attached map.

Any proposed OSWWTS using Test Fit #1 as a reference will require submission of professionally engineered plans for a shallow absorption system for prior Agency review and approval.

EXHIBIT 7

RECEIVED JAN 1 5 2014

|accumulations)

Adirondack Park Agency

ANTHONY CINCOTTA & KATHERINE CINCOTTA

COUNTY OF ESSEX STATE OF NEW YORK

Tract No. 28, Section 4B as shown on Map of Au Sable Acres, Inc. dated 22 JAN 1965, filed in the Essex County Clerk's Office as Map No. 1939.

being the same premises as conveyed by

JOSEPH CINCOTTA & JOSEPHINE M. CINCOTTA to ANTHONY CINCOTTA & KATHERINE CINCOTTA by deed dated 25 OCT 1989 and recorded in the Essex County Clerk's Office on 30 OCT 989 in Deed Book 954 at Page 260.

TOWN OF JAY TAX MAP NO. 07.71-01-1.000 05 DEC 2013 | ROBERT M. MARVIN, JR., LAND SURVEYOR 15 JAN 2014 | LAKE PLACID, NEW YORK 12946-0969